

**AMENDMENTS TO THE CLAIMS**

1-14 (Cancelled)

15. (Currently Amended) A method, comprising:

displaying a first window on a first display device operatively connected to a control device;

displaying a second window on a second display device separate from the first display device, the second display device operatively connected to the control device;

displaying a region on the second display device separate from the second window, wherein contents on the region are not displayed on the first display device;

updating the first window of the first display device by dragging content from the region on the second display device to the second window.

~~displaying a first portion of a desktop using a first display device;~~

~~displaying a second portion of the desktop using a second display device, wherein at least a portion of a display by the second display device includes a region representing the first display device;~~

~~altering content displayed by the first display device in at least some instances based on data input directed to the region representing the first display device;~~

~~accepting user input including at least a partial copy of the first viewable region; and~~

~~providing a jump pane in the first viewable region, where the user input to the first viewable region is associated to both data and control for the second viewable region.~~

16-17. (Cancelled)

18. (Currently Amended) The method according to claim 15, wherein said step of dragging content from the region comprises:

dragging said content from the region with an electronic pen.

~~A method according to claim 17, wherein the user input includes use of a pen.~~

19. (Currently Amended) The method according to claim 15, wherein said step of dragging comprises:

determining at least a first coordinate of the second display device; and

mapping the first coordinate to a corresponding coordinate of the first display device.

~~A method according to claim 15, further comprising:~~

~~determining at least a first coordinate of the second display device associated with the data input directed to the region representing the first display device; and~~

~~remapping the first coordinate to a corresponding coordinate of the first display device.~~

20-25. (Cancelled)

26. (Currently Amended) The method according to claim 15, further comprising:

dragging content from the second window to the region on the second display device.

~~A method according to claim 15, further comprising:~~

~~moving data from the first portion of the desktop to the second portion of the desktop via the region representing the first display device.~~

27. (Currently Amended) The method according to claim 18, further comprising:

magnifying at least a portion of content in the region on the second display device with said electronic pen.

~~A method according to claim 15, further comprising:~~

~~magnifying at least a portion of content in the region representing the first display device when a pointing device points within the region representing the first display device.~~

28. (Currently Amended) The method according to claim 27, wherein the portion magnified includes information associated with a location of the electronic pen within the region.

~~A method according to claim 27, wherein the portion magnified includes information associated with a location of the pointing device with the region.~~

29. (Currently Amended) The method according to claim 15, wherein contents of the second window are substantially identical to contents of the first window.

~~A method according to claim 15, further comprising:  
displaying at least a portion of content in the region representing the first display device when a pointing device points within the region representing the first display device.~~

30. (Currently Amended) The method according to claim 15, wherein contents of the second window are substantially identical to only a first subset of contents of the first window.

~~A method according to claim 29, wherein the portion displayed includes information associated with a location of the pointing device with the region.~~

31. (Currently Amended) A tangible computer readable medium containing computer-executable instructions configured to cause a computing device to execute a method comprising:

displaying a first window on a first display device operatively connected to the computing device;

displaying a second window on a second display device separate from the first display device, the second display device operatively connected to the computing device;

displaying a region on the second display device separate from the second window, wherein contents on the region are not displayed on the first display device;

updating the first window of the first display device by dragging content from the region on the second display device to the second window.

~~A computer readable medium including computer-executable instructions stored thereon for performing the method of claim 15.~~

32-76 (Cancelled)

77. (New) A computing apparatus, comprising:

a control device;  
a first display device operatively connected to the control device; and  
a second display device separate from the first display device, the second display device operatively connected to the control device,  
the controller configured to cause the first display device to display a first window and the second display device to display a second window and a region separate from the second window, wherein contents on the region are not displayed on the first display device,  
the controller further configured to update the first window of the first display device by dragging content from the region on the second display device to the second window.

78. (New) The apparatus according to claim 77, further comprising:  
an electronic pen, wherein the controller is configured to interface with said pen in order to update the first window by dragging content with said pen from the region on the second display device to the second window.

79. (New) The apparatus according to claim 78, wherein the controller is configured to interface with said electronic pen to drag the content by determining at least a first coordinate of the second display device; and to map the first coordinate to a corresponding coordinate of the first display device.

80. (New) The apparatus according to claim 78, wherein the controller is configured to interface with said electronic pen to drag content from the second window to the region on the second display device.

81. (New) The apparatus according to claim 78, wherein said controller is configured to magnify at least a portion of content in the region on the second display device in response to an input from said electronic pen.

82. (New) The apparatus according to claim 81, wherein the portion magnified includes information associated with a location of the electronic pen within the region.

83. (New) The apparatus according to claim 77, wherein contents of the second window are substantially identical to contents of the first window.

84. (New) The apparatus according to claim 77, wherein contents of the second window are substantially identical to only a first subset of contents of the first window.